

CALIFORNIA DEPARTMENT OF FORESTRY & FIRE PROTECTION
OFFICE OF THE STATE FIRE MARSHAL
FIRE ENGINEERING - BUILDING MATERIALS LISTING PROGRAM

LISTING SERVICE

LISTING No. 5275-1530:100

Page 1 of 1

CATEGORY: Gas/Vapor Detectors

LISTEE: Electro Systems Inc., 415 Dunedin St., Unit 8, Victoria, B.C, Canada V8T 5G8
Contact: Mike McSorley (250) 385-0911 Fax (250) 385-0733

DESIGN: Model GS/3 single station propane gas detectors for recreational vehicle. Unit is intended to detect propane gas leak and to sound an alarm before the concentration of the gas reaches 25% of the LEL (Lower Explosive Limit) of the gas. Refer to listee's data sheet for additional detailed product description and operational considerations.

RATING: 12 VDC (hard wired battery of the recreational vehicle)

INSTALLATION: In accordance with listee's printed installation instructions, applicable codes and ordinances and in a manner acceptable to the authority having jurisdiction.

MARKING: Listee's name, model number, electrical rating and UL label.

APPROVAL: Listed as propane gas detector suitable for recreational vehicle. Not suitable for installation in hazardous areas.

NOTE: Not a substitute for any smoke or fire detector.

04-28-99



This listing is based upon technical data submitted by the applicant. CSFM Fire Engineering staff has reviewed the test results and/or other data but does not make an independent verification of any claims. This listing is not an endorsement or recommendation of the item listed. This listing should not be used to verify correct operational requirements or installation criteria. Refer to listee's data sheet, installation instructions and/or other suitable information sources.

Date Issued: **JUNE 6, 2005**

*Listing Expires **June 30, 2006***

Authorized By: **DIANE K. AREND, Senior Deputy
Program Manager**